

# STAINLESS STEEL PIPES

The choice of stainless steel to make an artesian well means absolute guarantee of resistance and pipes long lasting. Inox steel main feature in fact is excellent corrosion and mechanical resistance. Depending on requested diameter, pipes are made by rolling machine with MIG welding or by forming machine with TIG and plasma welding and are available in AISI 304 and 316 L grade.


## OUR RANGE

**Diameters:** from 33,4 to 508,9 mm

**Wall thicknesses:** from 2,0 to 10,0 mm

**Connections:** welding ends with or without collars, with M/F threaded couplings


**Lengths:** 6 mt standard



**THEORETICAL WEIGHT**  
(Data refer to most common diameters and wall thicknesses)

OUTSIDE DIAMETER		WALL THICKNESS (mm)	WEIGHT Kg/mt
Inches	mm		
1"	33,4	2,77	2,13
1 ¼"	42,2	2,77	2,74
1 ½"	48,3	2,77	3,17
2	60,3	2,77	4,00
2 ½"	73,0	3,05	5,36
3"	88,9	3,05	6,58
4"	114,3	3,05	8,53
5"	139,7	4,00	13,59
6"	168,3	3,40	14,09
8"	219,1	3,76	20,35
10"	273,1	4,19	28,32
12"	323,9	4,57	36,68
14"	355,6	4,78	42,14
16"	406,4	4,78	48,25
18"	457,0	4,78	54,32
20"	508,9	5,54	69,96

## SPECIFICATIONS OF PIPES WITH M/F THREADED COUPLINGS



A OUTSIDE DIAMETER (mm)	B FEMALE COUPLING OVERALL DIMENSIONS (mm)	C PIPE TOTAL LENGTH (mm)	D USABLE LENGTH (mm)
139,7	155	6.200	6.150
168,3	180	6.200	6.150
177,8	195	6.200	6.150
193,7	205	6.200	6.150
219,1	230	6.200	6.150
244,5	267	6.200	6.150
273,0	287	6.200	6.150
323,9	340	6.200	6.150
355,6	367	6.200	6.150